Section 1 - Identification

Product Name: Break Down (25800)

ITD Chemical, LLC 1827 Auger Drive Tucker, GA 30084 770-939-5544

Emergency Phone: 800-535-5053

Product Use: Cement Removal

Section 2 - Hazards Identification

GHS Ratings:

Skin corrosion/irritation 1A Destruction of dermal tissue: Exposure < 3 min. Observation

< 1 hour, visible necrosis in at least one animal

Serious eye damage/eye Serious eye damage: Irreversible damage 21 days after irritation

exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5

Skin sensitization 1 Skin sensitizer

GHS Hazards

H314 Causes severe skin burns and eye damage H317 May cause an allergic skin reaction H318 Causes serious eye damage

H361 Suspected of damaging fertility or the unborn child

GHS Precautions

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking

P233 Keep container tightly closed

P240 Ground/bond container and receiving equipment

P241 Use explosion-proof electrical/ventilating/light equipment

P242 Use only non-sparking tools

P243 Take precautionary measures against static discharge P260 Do not breathe dust/fume/gas/mist/vapours/spray P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace P280 Wear protective gloves/protective clothing/eye protection/face protection

P281 Use personal protective equipment as required

P310 Immediately call a POISON CENTER or doctor/physician if you feel unwell after

exposure of this product

P321 Specific treatment (see First Aid below or label) P363 Wash contaminated clothing before reuse

P301+P330+P331 IF SWALLOWED: Call a POISON CENTER or doctor/physician. Rinse mouth. Do

NOT induce vomiting

P302+P352 IF ON SKIN: Wash with soap and water

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable

for breathing

P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing

SDS for: Break Down (25800) Page 1 of 6 P308+P313 IF exposed or concerned: Get medical advice/attention
P333+P313 If skin irritation or a rash occurs: Get medical advice/attention

P370+P378 In case of fire: Use dry chemicals, CO2, water spray or alcohol-resistant foam to

extinguish.

P405 Store locked up

P403+P235 Store in a well ventilated place. Keep cool

P501 Dispose of contents/container in conformance with State, Local, and Federal

regulations.

Signal Word: Danger





Section 3 - Composition, Information on Ingredients

Chemical Name	CAS number	Weight Concentration %
Glycolic Acid	79-14-1	30.00% - 60.00%
Dipropylene Glycol Monomethyl Ether	34590-94-8	0.00% - 15.00%
Phosphoric Acid	7664-38-2	0.00% - 15.00%
Nonylphenol, ethoxylated	127087-87-0-9	0.00% - 15.00%

Section 4 - First Aid Measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.

Eye contact Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Skin Contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Indication of immediate medical attention and special treatment needed. Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

SDS for: Break Down (25800) Page 2 of 6

Section 5 - Fire Fighting Measures

Flash Point: N/A

LEL: UEL:

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). **Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out oflow areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). This product is miscible in water. Should not be released into the environment. Stop the flow of material, if this is without risk.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Large Spills: Wet down with water and dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Section 7 - Handling & Storage

Precautions for safe handling Minimize dust generation and accumulation. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Section 8 - Exposure Controls/Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits

SDS for: Break Down (25800) Page 3 of 6

Glycolic Acid 79-14-1	Not Established	Not Established	Exposure Limit Values Glycolic acid AEL* (DUPONT) 10 mg/m3 8 & 12 hr. TWA
Dipropylene Glycol Monomethyl Ether 34590-94-8	TWA 100 ppm	TWA 100 ppm STEL 150 ppm	Not Established
Phosphoric Acid 7664-38-2	TWA-8hrs: 1 mg/m3 STEL-15min.:2mg/m3	Not Established	Not Established
Nonylphenol, ethoxylated 127087-87-0-9	Not Established	Not Established	Not Established

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate. Eye wash facilities and emergency shower must be available when handling this product. It is recommended that users of this product perform a risk assessment to determine the appropriate PPE.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses/goggles and/or face shield.

Skin protection Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace

Section 9 - Physical & Chemical Properties

Color Brown	pH <=2
Odor Indiscernible	Specific Gravity 1.22

Section 10 - Stability & Reactivity

STABLE

Materials To Avoid

Alkalines, metal oxides, metals, metal alloys, and organic matters, fluorine, strong reducing agents, bases, sulphur trioxide, phosphorus pentoxide.

Extended contact with air or oxygen. The potential for peroxide formation is enhanced when this solvent is used in processes such as distillation. Heat, sparks, open flame, other ignition sources, and oxidizing conditions. Ignition may occur at temperatures below those published in the literature as autoignition or ignition temperatures.

None Known

Bases. Oxidizing agents. Reducing agents. Cyanides. Sulfides. Metals such as sodium, potassium or magnesium.

SDS for: Break Down (25800) Page 4 of 6

Oxides of Sodium, Oxides of Phosphorus

Air or oxygen. Moisture and humidity. Strong oxidizing agents. May react with oxygen to form peroxides.

None Known

Can react with metals generating toxic hydrogen gas.

Hazardous polymerization will not occur.

Section 11 - Toxicological Information

Mixture Toxicity

Inhalation Toxicity LC50: 23mg/L

Component Toxicity

7664-38-2 Phosphoric Acid

Oral LD50: 2,040 mg/kg (RAT) Dermal LD50: 3,653 mg/kg (Rabbit)

127087-87-0-9 Nonylphenol, ethoxylated

Oral LD50: 3,314 mg/kg (Rat) Dermal LD50: 3,050 mg/kg (Rabbit)

Skin Contact Eye Contact Ingestion

Effects of Overexposure

<u>CAS Number</u> <u>Description</u> <u>% Weight</u> <u>Carcinogen Rating</u>

Section 12 - Ecological Information

Component Ecotoxicity

Glycolic Acid Aquatic Toxicity

Glycolic acid

96 h LC50 : Pimephales promelas (fathead minnow) 164 mg/l

72 h EbC50 : Pseudokirchneriella subcapitata (green algae) 22.5 mg/l

48 h EC50 : Daphnia magna (Water flea) 141 mg/l

Phosphoric Acid Acute Fish Toxicity

Harmful to aquatic life in very low concentrations. May be dangerous if it enters

water intake.

Section 13 - Disposal Considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

SDS for: Break Down (25800) Page 5 of 6

Section 14 - Transportation Information

 Agency
 Proper Shipping Name

 DOT
 Corrosive Liquid, Acidic, Inorganic, n.o.s. (Glycolic

UN Number UN3265 Packing Group Hazard Class

PGIII 8

Acid)

Section 15 - Regulatory Information

Country Regulation All Components Listed

EU Risk Phrases


Safety Phrase

Section 16 - Other Information

Hazardous Material Information System (HMIS)

HEALTH 3 HMIS & NFPA Hazard Rating Legend * = Chronic Health Hazard 0 = INSIGNIFICANT 1 = SLIGHT 2 = MODERATE 3 = HIGH

National Fire Protection Association (NFPA)



The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.

Reviewer Revision

Date Prepared: 3/21/2023

SDS for: Break Down (25800)