Section 1 - Identification

Product Name: Resi-Rust (41680)

ITD Chemical, LLC 1827 Auger Drive Tucker, GA 30084 770-939-5544

Emergency Phone: 800-535-5053

Product Use: A high-quality cleaner specially designed for exposed wood surfaces.

Section 2 - Hazards Identification

GHS Ratings:

Skin corrosion/irritation 1A Destruction of dermal tissue: Exposure < 3 min. Observation

< 1 hour, visible necrosis in at least one animal

Serious eye damage/eye Serious eye damage: Irreversible damage 21 days after irritation

exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5

GHS Hazards

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

GHS Precautions

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P264 Wash hands thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

P310 Immediately call a POISON CENTER or doctor/physician if you feel unwell after

exposure of this product

P321 Specific treatment (see First Aid below or label) P363 Wash contaminated clothing before reuse

P301+P330+P331 IF SWALLOWED: Call a POISON CENTER or doctor/physician. Rinse mouth. Do

NOT induce vomiting

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable

P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing

P405 Store locked up

P501 Dispose of contents/container in conformance with State, Local, and Federal

regulations.

Signal Word: Danger



SDS for: Resi-Rust (41680) Page 1 of 5

Section 3 - Composition, Information on Ingredients

Chemical Name	CAS number	Weight Concentration %
Ethanedioic acid	6153-56-6	0.00% - 15.00%
2-hydroxy - 1,2,3,tricarboxylic acid	77-92-9	0.00% - 15.00%
Secondary Alkyl, Aryl Sulfonic Acid	85536-14-7	0.00% - 15.00%
Nonylphenol, ethoxylated	127087-87-0-9	0.00% - 15.00%
Ethoxylated alcohol phosphate	154518-39-5	0.00% - 15.00%

Section 4 - First Aid Measures

After inhalation:

Take affected persons into fresh air and keep quiet. Supply fresh air. Call a doctor immediately

After eye contact: Rinse opened eye for several minutes under running water. Call a doctor immediately.

After skin contact: Immediately wash with water and soap and rinse thoroughly. Call a doctor immediately.

After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help

immediately. NOTE: Never give an unconscious person anything to drink.

Information for doctor:

Most important symptoms and effects, both acute and delayed: Causes severe skin burns and eye damage. Gastric or intestinal disorders · Indication of any immediate medical attention and special treatment needed Medical supervision for at least 48 hours.

Section 5 - Fire Fighting Measures

Flash Point: N/A

LEL: UEL:

The product is not flammable

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents: Water with full jet

Hazardous Decomposition:

Phosphorous Oxides

Advice for firefighters Protective equipment: Wear self-contained respiratory protective device.

Wear fully protective suit. Additional information Cool endangered receptacles with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Wear protective equipment. Keep unprotected persons away. Mount respiratory protective device.

Environmental precautions: Dilute with plenty of water. Do not allow to enter ground water.

Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material.

Use neutralizing agent. Dispose contaminated material as waste according to Section13. Ensure adequate ventilation.

Section 7 - Handling & Storage

Precautions for safe handling: Keep receptacles tightly sealed. Ensure good ventilation/exhaustion at the workplace. When diluting always pour product into water and not vice versa.

Information about fire - and explosion protection: No special measures required.

Conditions for safe storage, **including any incompatibilities:** Store only in the original receptacle. Use polyolefine receptacles. Provide acid-resistant floor.

SDS for: Resi-Rust (41680)

Suitable material for receptacles and pipes: Stainless steel.

Information about storage in one common storage facility: Store away from reducing agents. Store away from metals. Do not store together with alkalis (caustic solutions). Do not store together with organic materials.

Further information about storage conditions: Keep container tightly sealed.

Section 8 - Exposure Controls/Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Ethanedioic acid 6153-56-6	TWA 1 mg/m3	TWA: 1mg/m3 STEL: 2mg/m3	Not Established
2-hydroxy - 1,2,3,tricarboxylic acid 77-92-9	15 mg/m3 TWA	10 mg/m3	Not Established
Secondary Alkyl, Aryl Sulfonic Acid 85536-14-7	Not Established	Not Established	Not Established
Nonylphenol, ethoxylated 127087-87-0-9	Not Established	Not Established	Not Established
Ethoxylated alcohol phosphate 154518-39-5	Not Established	Not Established	Not Established

General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Do not eat or drink while working. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

Respiratory protection: Use suitable respiratory protective device only when aerosol or mist is formed. In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Limitation and supervision of exposure into the environment: Avoid discharging of Hydrochloric / Phosphoric acid solutions into municipal wastewater, surface water or soils, when such discharges are expected to cause significant pH changes.

Risk management measures: Regular control of the pH value previous to or during discharges into open waters is required. Discharges should be carried out as to minimize pH changes in receiving surface waters. In general most aquatic organisms can tolerate pH values in the range of 6-9.

Eye protection: Tightly sealed goggles

Body protection: Acid resistant protective clothing, Boots

Protection of hands: Protective gloves. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. · Material of gloves Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR Natural rubber, NR Chloroprene rubber, CR Neoprene gloves

Penetration time of glove material: The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Not suitable are gloves made of the following materials: Leather gloves

Section 9 - Physical & Chemical Properties

Appearance Clear Liquid	^{Odor} Characteristic
pH <3	^{Color} Colorless
Specific Gravity 1.04	

Section 10 - Stability & Reactivity

SDS for: Resi-Rust (41680) Page 3 of 5 Printed: 3/27/2023 at 8:09:39PM

STABLE

INCOMPATABILITIES:

None Known

Avoid contact with oxidizing agents (e.g. nitric acid, peroxides and chromates). Inorganic acids and bases.

Strong oxidizing agents, Strong bases

Include potassium tartrate, alkali and alkaline earth carbonates and bicarbonates, acetates, sulfites, and metal nitrates (potentially explosive reaction). Citric acid corrodes copper, zinc, aluminum and their alloys.

Incompatible with alkalis. Incompatible with strong oxidising agents. Incompatible with most metals in the presence of moisture.

DECOMPOSITION:

None Known

Carbon Monoxide and other toxic vapors

This product may yield sulfur dioxide and oxides of sulfur.

Thermal oxidative decomposition of citric acid can produce acrid, irritating smoke and carbon monoxide, carbon dioxide.

Thermal decomposition will produce organic acids, oxides of carbon and formic acid.

Hazardous polymerization will not occur.

Section 11 - Toxicological Information

Mixture Toxicity Component Toxicity

6153-56-6 Ethanedioic acid

Oral LD50: 475 mg/kg (Rat) Dermal LD50: 2,000 mg/kg (Rabbit)

127087-87-0-9 Nonylphenol, ethoxylated

Oral LD50: 3,314 mg/kg (Rat) Dermal LD50: 3,050 mg/kg (Rabbit)

Inhalation Skin Contact Eye Contact Ingestion

Effects of Overexposure

<u>CAS Number</u> <u>Description</u> <u>% Weight</u> <u>Carcinogen Rating</u>

None N/A

Section 12 - Ecological Information

Do not discharge into waterways. The strong lowering of pH can destroy organisms.

Component Ecotoxicity

Section 13 - Disposal Considerations

Recommendation:

Must not be disposed together with household garbage. Disposal must be made according to official regulations. Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Uncleaned packaging Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made in

SDS for: Resi-Rust (41680)

Recommended cleansing agents: Water, if necessary together with cleansing agents.

Section 14 - Transportation Information

Agency Proper Shipping Name UN Number Packing Group Hazard Class

DOT Not Regulated

Section 15 - Regulatory Information

<u>Country</u> <u>Regulation</u> <u>All Components Listed</u>

EU Risk Phrases

Safety Phrase

Section 16 - Other Information


Hazardous Material Information System (HMIS)

FLAMMABILITY 0 PHYSICAL HAZARD 0 PERSONAL PROTECTION D

HMIS & NFPA Hazard Rating Legend

- * = Chronic Health Hazard
- 0 = INSIGNIFICANT
- 1 = SLIGHT
- 2 = MODERATE
- 3 = HIGH

National Fire Protection Association (NFPA)



The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.

Reviewer Revision

Date Prepared: 3/27/2023